
























Funded vaccines supplied by the Department of Health Tasmania

Antigen	Vaccine	Indications for use	Packaging example
Diphtheria, tetanus, pertussis, hepatitis B, poliomyelitis, Haemophilus influenzae type B	Infanrix hexa[®] or Vaxelis[®] (DTPa - Hib - Hep B - IPV)	2, 4 and 6 months Catch-up for < 10 years	
Diphtheria, tetanus, pertussis	Tripacel[®] or Infanrix[®] (DTPa)	18 months Catch-up for < 10 years	
Diphtheria, tetanus, pertussis, poliomyelitis	Infanrix IPV[®] or Quadracel[®] (DTPa-IPV)	4 years Catch-up for < 10 years	
Diphtheria, tetanus, pertussis	Adacel[®] or Boostrix[®] (dTpa)	Pregnant women (<i>20-32 weeks gestation</i>) Year 7 school program (<i>12-13 years</i>) Catch-up for 10 to < 20 years Catch-up for refugees and humanitarian entrants ≥ 20 years	
Hepatitis B	H-B-Vax-II[®] (Paediatric)	Birth dose (<i>within 7 days of birth</i>) Catch-up for < 20 years	
Hepatitis B	H-B Vax II[®] (Adult)	Catch-up for 11-15 years (<i>2 doses</i>) Catch-up for refugees and humanitarian entrants ≥ 20 years	

Antigen	Vaccine	Indications for use	Packaging example
Hepatitis B	Engerix B[®] (Adult)	State-funded for high-risk groups ≥ 20 years <i>See Hepatitis B vaccine fact sheet (health.tas.gov.au) for eligibility</i>	
Haemophilus influenzae type B	Act-HIB[®] (Hib)	18 months Catch-up < 5 years Asplenia/hyposplenia	
Human papillomavirus	Gardasil 9[®] (HPV)	Year 7 school program (12-13 years) Catch-up for < 26 years	
Influenza	Various Brands	Ensure an age-appropriate brand is used. NIP funded for: <ul style="list-style-type: none"> • Children 6 months to < 5 years of age • All Aboriginal people 6 months and older • Adults 65 years and older • Pregnant women • Individuals with specified medical risk conditions <i>See Australian Immunisation Handbook</i>	
Measles, mumps, rubella	Priorix[®] or MMR II[®] (MMR)	12 months Catch-up for < 20 years Catch-up for refugees and humanitarian entrants ≥ 20 years	
Measles, mumps, rubella	M-M-R II[®] (MMR)	State-funded measles program People born during or after 1966 without documented evidence of 2 measles vaccines or serological evidence of immunity Infants 6-12 months travelling overseas	

Antigen	Vaccine	Indications for use	Packaging example
Measles, mumps, rubella, varicella	Priorix-tetra[®] (MMRV)	18 months Catch-up for < 14 years	
Meningococcal ACWY	Nimenrix[®] (MenACWY)	12 months People with specific medical risk conditions <i>See Australian Immunisation Handbook</i>	
Meningococcal ACWY	MenQuadfi[®] (MenACWY)	Year 10 school program Catch-up for 14 years - < 20 years	
Meningococcal B	Bexsero[®] (MenB)	For Aboriginal children < 2 years People with specific medical risk conditions <i>See Australian Immunisation Handbook</i>	
Mpox	Jynneos[®] (Mpox)	People who meet the eligibility criteria <i>See Mpox (health.tas.gov.au) for eligibility</i>	
Pneumococcal <i>Refer to the Pneumococcal Clinical Decision Tree (health.gov.au) or the Pneumosmart Vaccination Tool for more information</i>	Prevenar 13[®] (13vPCV)	2, 4 and 12 months of age <i>(Additional dose at 6 months only if specific medical conditions)</i> Catch-up for < 5 years Aboriginal people at 50 years <i>(who have not received a previous dose)</i> Adults 70 years and over People with conditions that increase their risk of pneumococcal disease	

Antigen	Vaccine	Indications for use	Packaging example
Pneumococcal Refer to the Pneumococcal Clinical Decision Tree (health.gov.au) or the Pneumosmart Vaccination Tool for more information	Pneumovax 23® (23vPPV)	4 years - only if specified medical risk conditions (<i>second dose at least 5 years later</i>) Aboriginal adults > 50 years (<i>who have not received a previous dose</i>) People with conditions that increase their risk of pneumococcal disease. See Australian Immunisation Handbook	
Poliomyelitis	IPOL® (IPV)	Catch-up for < 20 years Catch-up for refugees and humanitarian entrants ≥ 20 years	
Respiratory syncytial virus	Abrysvo® (RSV)	Pregnant women, single dose from 28 to 36 weeks gestation	
Respiratory syncytial virus	Beyfortus® (RSV)	Eligible infants born from 1 st Oct 2024 and aged < 8 months Eligible children 8-24 months of age who are at risk of severe RSV	
Rotavirus	Rotarix®	2 and 4 months (<i>no catch-up for this vaccine outside of these age groups</i>)	
Herpes zoster (Shingles)	Shingrix®	Adults 65 years and older Aboriginal adults 50 years and older Some immunocompromised adults See Australian Immunisation Handbook	
Varicella	Varivax® (VZV)	Catch-up for < 20 years Catch-up for refugees and humanitarian entrants ≥ 20 years 2 doses required > 14 years	

For more information refer to the [Funded Immunisation Schedule Tasmania \(health.tas.gov.au\)](#)